

HOW TO ASSEMBLE

SEG Wall Graphic

INDEX

PAGE 1 // FRAME ASSEMBLY

PAGE 2 // MOUNTING INSTALLATION

PAGE 3 // GRAPHIC INSTALLATION

PAGE 4 // FINISHED SEG GRAPHIC

Frame Assembly

STEP 1

Lay out the frame pieces with the flat side down forming the shape of the finished frame.



STEP 2

Pair a flat corner bracket and an adjustable corner bracket with the screw inserts pointing up.



STEP 3

Insert a paired bracket into the inner channel of the frame to form a 90° angle. Slightly tighten the screws to secure the connection. Repeat this process for the remaining frame pieces. Once the four sides are in place completely tighten the bracket screws to secure the frame together.



Mounting Installation

STEP 1

Adjust the mounting bracket screws so it extends approximately a 1/4 inch above the bracket.



STEP 2

Arrange the mounting brackets level with each other on the wall. The short "L" side of the bracket facing upwards. Attach the bracket to the wall.



STEP 3

Test the frame by hanging them on top of the brackets. If necessary, adjust the screws to level the frame.



Graphic Installation

STEP 1

Lay assembled frame on a flat surface. Insert the silicone edge into the recessed groove at each corner of the frame.



STEP 2

Once the corners are in place, begin working in the sides starting at the center. Continue around the frame by inserting the remaining edges until the graphic is taut.



STEP 3

Hang the frame with stretched graphic on the wall brackets. Make sure to leave the tab out for easy graphic removal and replacement.



Finished SEG Graphic

